

Billing and Coding Guide

Your Access and Reimbursement Manager:

Name:

Phone: _____

_____ Email: _____

With just a call or click, you can get assistance from a dedicated IZERVAY My WaySM Access Coordinator.

 Phone: 1-888-C5MYWAY (1-888-256-9929) 8 AM to 8 PM ET Monday - Friday 	Fax: 1-833-C5MYWAY (1-833-256-9929)
Email: Support@IZERVAYMyWay.com	Website: IZERVAYecp.com/PatientSupport

This Billing and Coding Guide is for general informational purposes only. The codes listed reflect a sample of potentially relevant codes but the provider is responsible for selecting the appropriate diagnosis, procedure, and billing codes that truthfully reflect the diagnosis and level of service provided to the patient in each instance of administration of IZERVAY.

The information in this guide is subject to change without notice and should be verified by the provider for each patient prior to treatment. Contact the patient's health plan directly for the most accurate information.

Astellas Pharma US, Inc. does not guarantee payment or coverage for any product or service.

Codes for billing and reimbursement

The codes below are common codes that may be used when filing a claim for IZERVAY. For the most accurate codes, please contact your patient's health plan.

Current Procedural Terminology (CPT®) codes for imaging ^{1,2}			
CPT code	Description		
92134	Optical coherence tomography		
92235	Fluorescein angiography (FA)		
92250	Fundus photography (Fundus autofluorescence)		
92240	Indocyanine green angiography (ICG)		
92242	FA and ICG		

CPT code for injecti	ons ³	
CPT code	Site modifier	Description
67028	Apply the appropriate site modifier (LT, RT, or 50) to the end of CPT code 67028	Intravitreal injection

LT, left eye; RT, right eye; 50, both eyes.

 ${\sf CPT}^{*}$ codes and descriptions are @ 2024 American Medical Association (AMA). All rights reserved.

References: 1. Centers for Medicare & Medicaid Services. Physician fee schedule search. Accessed May 18, 2023. https://www.cms.gov/medicare/physician-fee-schedule/search?Y=0&T=0&HT=1&CT=0&H1=92134&H2=92235&H3=92250&H4=92240&H5=92242&M=1
2. Asbell RL. Chart documentation for ophthalmic diagnostic tests. *Retina Today*. 2014:29-30.
3. Medicare.gov. Intravitreal injection of a pharmacologic agent (separate procedure). Accessed May 18, 2023. https://www.medicare.gov/procedure-price-lookup/cost/67028

It is always the provider's responsibility to determine the appropriate clinical diagnosis and healthcare setting to submit true and accurate claims for the products and services rendered.



Evaluation and management (E/M) codes¹

CPT code	Description
99203	New Patient Level 3 E/M
99213	Established Patient Level 3 E/M
99204	New Patient Level 4 E/M
99214	Established Patient Level 4 E/M

Other E/M codes may apply or be more appropriate for a given visit. Please refer to the E/M coding and documentation guidelines in the CPT book provided by the American Medical Association.

Office visit modifier ²	
Modifier	Description
25	Significant, separately identifiable evaluation and management service by the same physician or other qualified healthcare professional on the same day of the procedure or other services.

Office visit modifiers help with prompt and correct payment based on evaluation and management services provided. These modifiers do not apply to services like tests or surgeries.

References: 1. American College of Obstetricians and Gynecologists. 2021 Evaluation and management summary. Accessed May 18, 2023. https://www.dph.ncdhhs.gov/lhd/docs/2021-EM-CodingSummary.pdf **2.** American Academy of Ophthalmology. Effectively use exam modifiers. Accessed May 18, 2023. https://www.aao.org/young-ophthalmologists/yo-info/article/effectively-use-exam-modifiers

It is always the provider's responsibility to determine the appropriate clinical diagnosis and healthcare setting to submit true and accurate claims for the products and services rendered.

Please see Important Safety Information on page 8 and accompanying full <u>Prescribing Information</u>.

3



ICD-10 codes for GA¹

	Right eye	Left eye	Bilateral	
Dry (nonexudative) AMD, advanced atrophic without subfoveal involvement	H35.31 <mark>13</mark>	H35.31 <mark>23</mark>	H35.31 <mark>33</mark>	Key: Blue numerals (6th position) indicate laterality.
Dry (nonexudative) AMD, advanced atrophic with subfoveal involvement	H35.31 <mark>14</mark>	H35.31 <mark>24</mark>	H35.31 <mark>34</mark>	H35.3111 Red numerals (7th position) indicate staging.

National Drug Code (NDC) ²					
Tradename	Package strength	10-digit format	11-digit format		
IZERVAY™ (avacincaptad pegol intravitreal solution)	20 mg/mL solution in a single-dose glass vial	82829-002-01	82829-0002-01		

Check with the patient's health plan to determine sequence requirements regarding the use of a 10-digit or 11-digit NDC as it may vary.

References: 1. American Academy of Ophthalmology. How to use the ICD-10 codes for age-related macular degeneration. Accessed May 18, 2023. https://www.aao.org/eyenet/article/how-to-use-the-icd-10-codes-for-amd **2.** IZERVAY[™] (avacincaptad pegol intravitreal solution) Prescribing Information. IVERIC bio, Inc., Parsippany, NJ 07054.

It is always the provider's responsibility to determine the appropriate clinical diagnosis and healthcare setting to submit true and accurate claims for the products and services rendered.

Please see Important Safety Information on page 8 and accompanying full <u>Prescribing Information</u>.

4



Healthcare Common Procedure Coding System (HCPCS) code ¹					
HCPCS code	CPCS code Descriptor Site of care Billing units*				
J2782	Injection, avacincaptad pegol intravitreal solution, 0.1 mg	All sites of care	20		

When using the permanent J-code, bill 20 units for a 2-mg dose of IZERVAY.* Be sure to check with each payer for specific coding requirements.

*One billing unit of J2782 equals 0.1 mg of avacincaptad pegol. As a result, billing for 20 units equals a 2-mg dose of IZERVAY.¹

JZ modifier: Effective July 1, 2023, providers and suppliers are required to report the JZ modifier on all claims that bill for drugs from single-dose containers that are separately payable under Medicare Part B when there are no discarded amounts.²

Important reminders when billing for IZERVAY				
 Ensure the following information is included in the claim submission: Drug name/generic name Strength Unit administered Route of administration NDC Appropriate codes (ICD-10, CPT, HCPCS) 	 Some health plans may also request the following: Prescribing information FDA approval letter Any relevant documentation to support medical necessity (EHR documentation, letter of medical necessity, etc) Drug purchase invoice 			

References: 1. Centers for Medicare & Medicaid Services. CMS HCPCS Application Summaries and Coding Recommendations: Fourth Quarter, 2023 HCPCS Coding Cycle. Accessed February 16, 2024. https://www.cms.gov/files/document/2023-hcpcs-application-summary-quarter-4-2023-drugs-and-biologicals-updated-02/16/2024.pdf **2.** Centers for Medicare & Medicaid Services. Medicare program: discarded drugs and biologicals-JW modifier and JZ modifier policy frequently asked questions. Accessed May 18, 2023. https://www.cms.gov/medicare/medicare-fee-for-service-payment/hospitaloutpatientpps/downloads/jw-modifier-faqs.pdf

It is your responsibility to ensure that claim forms are completed accurately based on the clinical visit.

It is always the provider's responsibility to determine the appropriate clinical diagnosis and healthcare setting to submit true and accurate claims for the products and services rendered.



Sample CMS-1500 form

The sample claim form below is just an example of how services provided in a physician's office may be billed on the CMS-1500 form.

Box 19: Product name, generic, strength, dose administered, route of administration, NDC		A GBOUP	1a. INSURED'S I.D. NUMB	FICA (100 Frogram in Item 1)
	(Medicare#) (Medicaid#) (ID#/DoD#) (Member) 2. PATIENT'S NAME (Last Name, First Name, Middle Initial)	A GROUP HEALTH PLAN BLKLUNG (IDH) (IDH) 3. PATIENTS BIRTH DATE MM I DD I YYE SEX	4. INSURED'S NAME (Lasi	t Name, First Name, Middle Initial)
Box 21A:	 5 PATIENT'S ADDRESS (No., Street)	6. PATIENT RELATIONSHIP TO INSURED	7 INSURED'S ADDRESS	(No. Street)
Diagnosis code (ICD-10-CM)		Self Spouse Child Other		
	CITY STATE	8. RESERVED FOR NUCC USE	СПҮ	STATE
Box 23:	ZIP CODE TELEPHONE (Include Area Code) () 9. OTHER INSURED'S NAME (Last Name, First Name, Middle Initial)	10. IS PATIENT'S CONDITION RELATED TO:	ZIP CODE 11. INSURED'S POLICY G	TELEPHONE (Include Area Code)
Prior authorization number, if available	a: OTHER INSURED'S POLICY OR GROUP NUMBER	a. EMPLOYMENT? (Current or Previous) YES NO b. AUTO ACCIDENT? PLACE (State)	a. INSURED'S DATE OF B MM DD b. OTHER CLAIM ID (Desi	F <u>8</u>
D	c. RESERVED FOR NUCC USE	c. OTHER ACCIDENT?	c. INSURANCE PLAN NAM	AN
Box 24A: In the red shaded area at the top of the box, insert the N4 qualifier	I. INSURANCE PLAN NAME OR PROGRAM NAME READ BACK OF FORM BEFORE COMPLETIN 12. PATIENTS OR AUTHORIZED PERSON'S SIGNATURE authorize the	10d. CLAIM CODES (Designated by NUCC)	13. INSURED'S OR AUTHO payment of medical ben	If yes, complete items 9, 9a, and 9d. DRIZED PERSON'S SIGNATURE authorize Intersigned obvisician or sumplier for
followed by the 11-digit NDC number and unit quantity.	to process this claim. I also request payment of government benefits either below. SIGNED	to myself or to the party who accepts assignment DATE OTHER DATE	SIGNED	
List the date of service in the white space. Hyphens may or	17. NAME OF REFERRING PROVIDER OR OTHER SOURCE	AL MM DD YY	FHOM 18. HOSPITALIZATION DA MM DD FROM	
may not be required by payer.	I. ADDITIONAL CLAIM INFORMATION (Designated by NUCC) IZERVAY, 2 mg, 0.1 mL, intravitreal injection, NOC 828 21. DIGNOSIS OR NATURE OF ILLNESS OR INJURY Relate A-L to son A H35.3123		20. OUTSIDE LAB? YES NO 22. RESUBMISSION CODE	\$ CHARGES ORIGINAL REF. NO.
Box 24D: Enter the appropriate HCPCS code, J2782, for IZERVAY on its	E F GL L J K V4. A. DATE(S) OF SERVICE B. C. D. PROCE MM DD YY SERVICE MM DD YY SERVICE N4828229 0002 01 ML0.1 CONTINCT	DURES, SERVICES, OR SUPPLES In Unusual Circumstances) CS MODIFIER POINTER	23. PRIOR AUTHORIZATIO	ON NUMBER 000 Pt-0 ID. PENDERING 176-0 ID. PROVIDER ID. # 20
own line, which should correlate — to the NDC in Box 24A. The	01 22 23 01 22 23 J278 2 01 22 23 01 22 23 67024			
HCPCS code must be	3			
accompanied by the JZ modifier. ¹ Include the following	4			NPI Z
on separate lines:	5			
CPT code to report the	6 25. FEDERAL TAX LD. NUMBER SSN EIN 26. PATIENTS	(For govt. claims, see back)	28. TOTAL CHARGE	29. AMOUNT PAID 30. Rsvd for NUCC Use
administration procedure, 67028, along with the correct site modifier	31. SIGNATURE OF PHYSICIAN OR SUPPLIER 32. SERVICE F/ INCLUDING DEGREES OR CREDENTIALS I(certify hthe balandanis on the reverse apply to this bit and are made a part thereot.)		33. BILLING PROVIDEP IN	508 PH # ()
 CPT code to report imaging, if appropriate 	SIGNED DATE a. N NUCC Instruction Manual available at: www.nucc.org	D. PLEASE PRINT OR TYPE	a. NPI APPROVE	b. ED OMB-0938-1197 FORM 1500 (02-12)
• CPT E/M code, if appropriate				
Box 24E: Enter the diagnosis code reference letter as shown in Box 21 to relate the date of service and the procedures performed to the diagnosis code.	Box 24G: When using the permanent J- 20 billing units of J2782 equal equals 1 single-dose 20-mg via specific coding requirements.	s a 2-mg dose of IZI	ERVAY. As	a result, 20 units

Reference: 1. Centers for Medicare & Medicaid Services. Medicare program: discarded drugs and biologicals–JW modifier and JZ modifier policy frequently asked questions. Accessed May 18, 2023. https://www.cms.gov/medicare/medicare-fee-for-service-payment/hospitaloutpatientpps/downloads/jw-modifier-faqs.pdf

It is your responsibility to ensure that claim forms are completed accurately based on the clinical visit.

It is always the provider's responsibility to determine the appropriate clinical diagnosis and healthcare setting to submit true and accurate claims for the products and services rendered.


Please see Important Safety Information on page 8 and accompanying full <u>Prescribing Information</u>.

6



Sample CMS-1450 form

The sample claim form below is just an example of how services provided in a hospital outpatient department may be billed on the CMS-1450 form.



References: 1. Noridian Healthcare Solutions. Revenue codes. Accessed May 18, 2023. https://med.noridianmedicare.com/web/ jea/topics/claim-submission/revenue-codes **2.** Centers for Medicare & Medicaid Services. Medicare program: discarded drugs and biologicals-JW modifier and JZ modifier policy frequently asked questions. Accessed May 18, 2023. https://www.cms.gov/medicare/ medicare-fee-for-service-payment/hospitaloutpatientpps/downloads/jw-modifier-faqs.pdf

It is your responsibility to ensure that claim forms are completed accurately based on the clinical visit.

It is always the provider's responsibility to determine the appropriate clinical diagnosis and healthcare setting to submit true and accurate claims for the products and services rendered.



INDICATION

IZERVAY[™] (avacincaptad pegol intravitreal solution) is indicated for the treatment of geographic atrophy (GA) secondary to age-related macular degeneration (AMD).

IMPORTANT SAFETY INFORMATION

CONTRAINDICATIONS

• IZERVAY is contraindicated in patients with ocular or periocular infections and in patients with active intraocular inflammation.

WARNINGS AND PRECAUTIONS

- Endophthalmitis and Retinal Detachments
 - Intravitreal injections, including those with IZERVAY, may be associated with endophthalmitis and retinal detachments. Proper aseptic injection technique must always be used when administering IZERVAY in order to minimize the risk of endophthalmitis. Patients should be instructed to report any symptoms suggestive of endophthalmitis or retinal detachment without delay and should be managed appropriately.
- Neovascular AMD
 - In clinical trials, use of IZERVAY was associated with increased rates of neovascular (wet) AMD or choroidal neovascularization (7% when administered monthly and 4% in the sham group) by Month 12. Patients receiving IZERVAY should be monitored for signs of neovascular AMD.
- Increase in Intraocular Pressure
 - Transient increases in intraocular pressure (IOP) may occur after any intravitreal injection, including with IZERVAY. Perfusion of the optic nerve head should be monitored following the injection and managed appropriately.

ADVERSE REACTIONS

• Most common adverse reactions (incidence ≥5%) reported in patients receiving IZERVAY were conjunctival hemorrhage, increased IOP, blurred vision, and neovascular age-related macular degeneration.

Please see full <u>Prescribing Information</u> for more information.


It is always the provider's responsibility to determine the appropriate clinical diagnosis and healthcare setting to submit true and accurate claims for the products and services rendered.





Wherever you are in the process, we are ready to provide access and reimbursement support for IZERVAY.

With just a call or click, you can get assistance from a dedicated IZERVAY My Way[™] Access Coordinator.



It is always the provider's responsibility to determine the appropriate codes for the products and services rendered. Astellas Pharma US, Inc. does not guarantee payment or coverage for any product or service.

